


### *Amendments to the Claims*

This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (Currently amended) A composition comprising a synergistically effective amount of an anthranilamide of the formula (I-1)



- $\text{R}^2$  represents hydrogen or  $\text{C}_1\text{-C}_6\text{-alkyl}$ ,
- $\text{R}^3$  represents  $\text{C}_1\text{-C}_6\text{-alkyl}$  which is optionally substituted by a radical  $\text{R}^6$ ,
- $\text{R}^4$  represents  $\text{C}_1\text{-C}_4\text{-alkyl}$ ,  $\text{C}_1\text{-C}_2\text{-haloalkyl}$ ,  $\text{C}_1\text{-C}_2\text{-haloalkoxy}$  or halogen,
- $\text{R}^5$  represents hydrogen,  $\text{C}_1\text{-C}_4\text{-alkyl}$ ,  $\text{C}_1\text{-C}_2\text{-haloalkyl}$ ,  $\text{C}_1\text{-C}_2\text{-haloalkoxy}$  or halogen,
- $\text{R}^6$  represents  $-\text{C}(=\text{E}^2)\text{R}^{19}$ ,  $-\text{LC}(=\text{E}^2)\text{R}^{19}$ ,  $-\text{C}(=\text{E}^2)\text{LR}^{19}$  or  $-\text{LC}(=\text{E}^2)\text{LR}^{19}$ , where each  $\text{E}^2$  independently of the others represents O, S,  $\text{N-R}^{15}$ ,  $\text{N-OR}^{15}$ ,  $\text{N-N(R}^{15})_2$ , and each L independently of the others represents O or  $\text{NR}^{18}$ ,
- $\text{R}^7$  represents  $\text{C}_1\text{-C}_4\text{-haloalkyl}$  or halogen,
- $\text{R}^9$  represents  $\text{C}_1\text{-C}_2\text{-haloalkyl}$ ,  $\text{C}_1\text{-C}_2\text{-haloalkoxy}$ ,  $\text{S(O)}_p\text{C}_1\text{-C}_2\text{-haloalkyl}$  or halogen,
- $\text{R}^{15}$  in each case independently of one another represent hydrogen or represent in each case optionally substituted  $\text{C}_1\text{-C}_6\text{-haloalkyl}$  or  $\text{C}_1\text{-C}_6\text{-alkyl}$ , where

the substituents independently of one another may be selected from the group consisting of cyano, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, C<sub>1</sub>-C<sub>4</sub>-alkylthio, C<sub>1</sub>-C<sub>4</sub>-alkylsulfinyl, C<sub>1</sub>-C<sub>4</sub>-alkylsulfonyl, C<sub>1</sub>-C<sub>4</sub>-haloalkylthio, C<sub>1</sub>-C<sub>4</sub>-haloalkylsulfinyl or C<sub>1</sub>-C<sub>4</sub>-haloalkylsulfonyl,


R<sup>18</sup> in each case represents hydrogen or C<sub>1</sub>-C<sub>4</sub>-alkyl,

R<sup>19</sup> in each case independently of one another represent hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl,


p independently of one another represents 0, 1, 2[[.]],

and at least one pyrethroid compound selected from the group consisting of


(2-1) acrinathrin




(2-3) betacyfluthrin




(2-5) cypermethrin




(2-6) deltamethrin




(2-12) lambda-cyhalothrin



(2-14) taufluvalinate



(2-24) gamma-cyhalothrin



wherein said anthranilamide of formula (I) and said at least one pyrethroid compound are in a ratio of from 50:1 to 1:5, and wherein said composition is suitable for controlling animal pests.

2. (Cancelled)

3. (Cancelled)

4. (Cancelled)
5. (Currently amended) A method for controlling animal pests comprising contacting animal pests with a composition according to claim 1.
6. (Currently amended) A process for preparing pesticides, comprising mixing the composition according to claim 1 with extenders or surfactants or a mixture thereof.
7. (Cancelled)
8. (New) A composition according to claim 1 wherein the anthranilamide is a compound of formula I-1-4.
9. (New) A composition according to claim 1 wherein the anthranilamide of formula I-1 and the at least one pyrethroid are present in a ratio of from 25:1 to 1:1
10. (New) A composition according to claim 1 wherein the anthranilamide of formula I-1 and the at least one pyrethroid are present in a ratio of 1:1.
11. (New) A composition according to claim 1 wherein the pyrethroid is beta-cyfluthrin, deltamethrin or L-cyhalothrin.